

A New LATEX Template for Writing UniMAP Theses, Dissertations, Reports and Proposals Designed in 2021 (Max 15 words)

by

Your Own Name (000-00-0000)

A thesis submitted in fulfillment of the requirements for the degree of Doctor of Philosophy

Faculty of XXXX Engineering Technology UNIVERSITI MALAYSIA PERLIS

UNIVERSITI MALAYSIA PERLIS

	DECLARATION	ON OF THESIS	
Author's full name :	YOUR OWN NA	ME	
Title :	A NEW LATEX TEMPLATE FOR WRITING UNIMAP THESES, DISSERTATIONS, REPORTS AND PROPOSALS DESIGNED IN 2021 (MAX 15 WORDS)		
Date of Birth :	DD MONTH YY	YYY	
Academic Session :	2016/2017		
(UniMAP) and to be place	ed at the library of	property of Universiti Malaysia Perlis UniMAP. This thesis is classified as:	
☐ CONFIDENTIAL	(Contains confidential information under the Official Secret Act 1997)*		
☐ RESTRICTED	(Contains restricted information as specified by the organization where research was done)*		
OPEN ACCESS	I agree that my thesis to be published as online open access (Full Text)		
I, the author, give permiss research or academic exch requested above)	_	nis thesis in whole or in part for the purpose of during the period of3 years, if so	
		Certified by:	
SIGNATURE		SIGNATURE OF SUPERVISOR	
000000-00-0000		PROF. DR. XYZ	
(NEW IC NO. /PASSPORT NO.)		NAME OF SUPERVISOR	
Date:		Date:	

NOTES: * If the thesis is CONFIDENTIAL or RESTRICTED, please attach with the letter from the organization with the period and reasons for confidentiality or restriction.

ACKNOWLEDGEMENT

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

TABLE OF CONTENTS

	PAGE
DECLARATION OF THESIS	i
ACKNOWLEDGEMENT	ii
TABLE OF CONTENTS	iii
LIST OF TABLES	v
LIST OF FIGURES	vi
LIST OF ABBREVIATIONS	vii
LIST OF SYMBOLS	viii
ABSTRAK	ix
ABSTRACT	X
CHAPTER 1: INTRODUCTION	1
1.1 The problem	1
1.2 Another section	5
1.2.1 Third level heading	7
1.2.1.1 Fourth level heading	7
CHAPTER 2: LITERATURE REVIEW	8
2.1 Introduction	8
2.1.1 Third level heading	8
2.1.1.1 Fourth level heading	8
CHAPTER 3: RESEARCH METHODOLOGY	9

3.1	Introducti	ion	9
СНА	PTER 4:	RESULTS AND DISCUSSION	10
4.1	Introducti	ion	10
СНА	PTER 5:	CONCLUSION	11
5.1	Introducti	ion	11
REFI	ERENCES		12
APPI	ENDIX A S	SAMPLE APPENDIX 1	13
APPI	ENDIX B S	SAMPLE APPENDIX 2	14
LIST	OF PURLI	CATIONS	15

LIST OF TABLES

	PAGE
Sample table. Put table captions before the tabular. the	
siunitx package is loaded automatically so you can use the	
S column type to automatically align a column of numbers	
with decimal points.	5
	siunitx package is loaded automatically so you can use the S column type to automatically align a column of numbers

LIST OF FIGURES

		PAGE
Figure 1.1	This is a short caption.	3
Figure 1.2	This is a short caption. But often we need to include some long long description, if only to make things complicated	4
Figure 1.3	A demo of subfigures	6

LIST OF ABBREVIATIONS

APM Airborne particulate matter

BBB blood-brain barrier
BMU Best Matching Unit

CMB Chemical Mass Balance

CPCA Consensus PCA

CSI Class Separation Indices
CSM Class Sample Matrix
CSV Class Sample Vector
CWM Class Weight Matrix
CWV Class Weight Vector

EDC Euclidean Distance to Centriods

LIST OF SYMBOLS

A	Number of PLS or PCA components in the model
a	Number of the PLS or PCA component
b	PLS regression coefficient
b	Number of blocks (b=1, 2, 3,, K)
C	Coarse APM block
\boldsymbol{C}_n	Pooled covariance matrix for the two classes

Templat Baru untuk Mengarang Tesis, Disertasi, Laporan dan Kertas Cadangan UniMAP 2021 (Maksimum 15 patah perkataan)

ABSTRAK

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

A New LATEX Template for Writing UniMAP Theses, Dissertations, Reports and Proposals Designed in 2021 (Max 15 words)

ABSTRACT

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

CHAPTER 1: INTRODUCTION

1.1 The problem

unimapthesi is based on the memoir document class, which is very feature-rich. Refer to the package documentation http://texdoc.net/pkg/memoir for all the possible commands; but we do not recommend that you modify the formatting and styling provided in this template as they have been designed based on UniMAP's thesis guidelines. If you feel that something should be changed, please contact Dr. Wan Zuki Azman Wan Muhamad for clarifications.

Please also note that the following packages need not (should not) be loaded in you preamble, as memoir and unimapthesis already provides similar commands and functaionalities:

abstract, amsmath, amssymb, appendix, babel, biblatex, biblatex-apa, booktabs, caption, ccaption, chngcntr, chngpage, csquotes, enumerate, enumitem, epigraph, framed, graphicx, hyperref, ifmtarg, index, makeidx, microtype, moreverb, needspace, newfile, nextpage, newtxtext, parskip, patchcmd, quoting, setspace, shortvrb, showidx, siunitx, subcaption, subfigure, subfig, stix2, titleref, titling, tocbibind, tocloft, verbatim, verse.

Do not load these packages nor any other packages related to BibTeX: natbib, cite, tocbibind, multibib, chapterbib, etc.

1

UniMAP currently adopts the APA7 citation and referencing style, implemented with the biblatex-apa package in this template. **You must therefore run biber main** *not* bibtex main! You may use natbib-style commands e.g. (Budanitsky & Hirst, 2006) and Audibert (2004).

To add items to your List of Publications, use the \nocite{...} command to 'cite' them in the refsection environment. If compiling on a local installation, check if your editor has a compile option using latexmk or texify; this should then automatically run all compiling steps needed to generate the List of Publications in the output PDF. If not, you'll have to run the following steps yourself:

pdflatex main
biber main
pdflatex main
pdflatex main

Note that main is whatever your .tex containing the \documentclassunimapthesis is named.

- 1. What is the problem? Are you sure you've considered all aspects of the background?
- 2. Why should it be solved?
- 3. What do you propose?
- 4. How is it better?




Figure 1.1 This is a short caption.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. **Note that sometimes an equation is actually part of a paragraph so there should not be any blank lines before and after the equation.** An example:

$$y = mx + c \tag{1.1}$$

see? The text after the equation is therefore *not indented*. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.




Figure 1.2 This is a short caption. But often we need to include some long long description, if only to make things complicated

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Not all who wander is lost.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Table 1.1 Sample table. Put table captions before the tabular. the siunitx package is loaded automatically so you can use the S column type to automatically align a column of numbers with decimal points.

AAAAAAAAAAAAA	BBBBBBBBBBBB	CCCCCCCC
1234	34	-0.487
381	34	0.2

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

1.2 Another section

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should

contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.




Figure 1.3 A demo of subfigures

1.2.1 Third level heading

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

1.2.1.1 Fourth level heading

CHAPTER 2: LITERATURE REVIEW

2.1 Introduction

All reviews from the previous findings related to the research are discussed in searching for the relevance and significance.

2.1.1 Third level heading

2.1.1.1 Fourth level heading

CHAPTER 3: RESEARCH METHODOLOGY

3.1 Introduction

All relevant experimental, descriptive, theoretical and analytical techniques used in the research should be outlined, such that another researcher could repeat the study. Reference of methods to other research should be made where appropriate.

CHAPTER 4: RESULTS AND DISCUSSION

4.1 Introduction

This section includes the analysis and presentation of data. The results should be interpreted and summarized.

CHAPTER 5: CONCLUSION

5.1 Introduction

Provides the context in which to interpret the results of the study, stressing the significance, implications and limitations of the findings. The section should relate to the initially set out objectives spelled out in the beginning of the thesis.

REFERENCES

- Audibert, L. (2004). Word sense disambiguation criteria: A systematic study. 20th International Conference on Computational Linguistics (COLING 2004), 910–916.
- Budanitsky, A., & Hirst, G. (2006). Evaluating WordNet-based measures of lexical semantic relatedness. *Computational Linguistics*, *32*(1), 13–47.

APPENDIX A SAMPLE APPENDIX 1

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

APPENDIX B SAMPLE APPENDIX 2

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

LIST OF PUBLICATIONS

- Lim, L. T. (2009). Multilingual lexicons for machine translation. *Proceedings of the 11th International Conference on Information Integration and Web-based Applications & Services (iiWAS2009) Master and Doctoral Colloquium (MDC)*, 732–736.
- Lim, L. T., Ranaivo-Malançon, B., & Tang, E. K. (2011a). Low cost construction of a multilingual lexicon from bilingual lists. *Polibits*, *43*, 45–51. http://polibits.gelbukh.com/2011_43/43-06.htm
- Lim, L. T., Ranaivo-Malançon, B., & Tang, E. K. (2011b). Symbiosis between a multilingual lexicon and translation example banks. *Procedia: Social and Behavioral Sciences*, 27, 61–69. https://doi.org/10.1016/j.sbspro.2011.10.583